


TECHNIFLOW

Official UK Partner



 **Fumagalli Componenti** S.p.A.



 **FUMAGALLI**[®]

Fumagalli 250 LEM Hand and Face Dryer

The original,
the unique, the inimitable



The original, the unique, the inimitable Push-button version. Anti-vandal and anti-theft. Sturdy structure made of carbon steel with anti-writer (special treatment that allows easy cleaning of the surface) available on the black and white porcelain version, alternatively stainless steel AISI 304 in satin or bright version. Long life motor equipped with LEM patented system which allows fast and easy maintenance.

Focus

ERGONOMIC
Comfort and simplicity for anybody

STURDY
Anti-vandal structure

SIMPLE
Modular system that simplifies maintenance

COMPACT
Reducing installation constraints, minimal amount of space

NEW ENGINE
Long life motor with thermal protection and LEM system

Special options


Fixed nozzle IP23. 

 Anti-writer porcelain

TECHNIFLOW LTD
Techniflow House,
6a Uddens Trading Estate, Stapehill,
Wimborne, Dorset, BH21 7LQ
Tel: 01202 870770
Email: techniflow@btinternet.com

Technical characteristics

MG88P LEM 250	
Activation	Push button
Cover material	Stainless steel AISI 304/ Carbon steel
Finishing	Bright/Satin/Enamelled
Electrical protection level	Class I
Ingress protection level	IP21 (IP23 with fixed nozzle)
Supply voltage	220/240 V
Main frequency	50/60 Hz
Motor power	250 W
Heating element	2000 W
Total absorption	2250 W
Maximum absorption per drying cycle	13,1 W
Temperature regulator	-
Outlet air speed	105 km/h
Air flow	258 m³/h
Average drying time	21"
Noise level	63,9 dB
LED maintenance warning	-
Test certificate	Yes



Technical features



Energy saving



Standard range



Colour range



Collection range



LEM system



Legenda



Security device
Water-stop



Security device
Thermal protection
Skin care



Test report
Supplied with
each dryer



LEM patented system
Easy maintenance
motor block



Revolving nozzle
360° revolving nozzle



Turbo



JET



**Customizable ultra fast
air speed**
High performance motor,
electronic air
speed setting



HPA system
Air heating without
heating element



Long life motor
Long life resistant special
motor, with low power
absorption



Revolving hose
To easily direct
air flow



Double shaver plug
120/230 V with
secure lock



Ions generator
For comfort
hair dryer



Semi built-in



Built-in



Electrical protection level
Class I



Electrical protection level
Class II



Sliding rail



Paying system
Single or multiple
coin box



Fast drying
Reduced drying time



UVC system
Patented system
with UVC lamp
to reduce
bacteria load



Anti-Writer



Antimicrobial
Antimicrobial surface
treatment



Anti-thief, anti-vandal
Stainless steel body,
special screws



**Adjustable
temperature**



Safety switch off
Self stopping



Heating element
Low absorption heating
element



Reduced maintenance
Patented system to reduce
maintenance costs
(Eco Lem)



Aluminium



Stainless steel



Carbon steel



ABS



Polycarbonate