

# TECHNIFLOW

Official UK Partner



 **Fumagalli Componenti** S.p.A.



 **FUMAGALLI**<sup>®</sup>

Airmaster Eco High Speed Hand Dryer  
Without Heater



ANTIBACTERIAL  
HAND DRYER  
LIVE  
LAMP



Extremely powerful.

Automatically operated by sensor, air blows for the required time by positioning the hands below the outlet. It naturally completes the washroom with its elegant design, offering high drying performances.

### Focus

#### DESIGN

Soft shapes, elegance, comfort and simplicity. Suitable for every bathroom and satisfies every end-user

#### CONVENIENT

Great quality/price ratio

#### COMPACT

Reducing installation constraints, minimal amount of space

#### FAST

High drying performances

### Technical characteristics

Airmaster High Speed	
Activation	Sensor
Cover material	Stainless steel AISI 304/ Carbon steel
Finishing	Bright/Satin/Enamelled
Electrical protection level	Class I
Ingress protection level	IP21
Supply voltage	220/240 V
Main frequency	50/60 Hz
Motor power	1100 W
Heating element	-
Total absorption	From 500 to 1100 W
Maximum absorption per drying cycle	5,2 W
Temperature regulator	-
Adjustable outlet air speed	132 - 180 km/h
Air flow (according to air speed)	130 - 190 m <sup>3</sup> /h
Average drying time (according to air speed)	17"
Noise level (according to air speed) recorded at 50 cm	Min (84 dB) Max (89 dB)
Noise level (according to air speed) recorded at 100 cm	Min (79,5 dB) Max (85 dB)
Noise level (according to air speed) recorded at 300 cm	Min (76 dB) Max (84 dB)
Test certificate	Yes

### Technical features



### Standard range



LW44A (b)



LW44A (a)



LW44A (f)



LW44A (s)

### Colour range




### Collection range



### TECHNIFLOW LTD

Techniflow House,  
6a Uddens Trading Estate, Stapehill,  
Wimborne, Dorset, BH21 7LQ  
Tel: 01202 870770  
Email: techniflow@btinternet.com



# Legenda



**Security device**  
Water-stop



**Security device**  
Thermal protection  
Skin care



**Test report**  
Supplied with  
each dryer



**LEM patented system**  
Easy maintenance  
motor block



**Revolving nozzle**  
360° revolving nozzle



**Turbo**



**JET**



**Customizable ultra fast  
air speed**  
High performance motor,  
electronic air  
speed setting



**HPA system**  
Air heating without  
heating element



**Long life motor**  
Long life resistant special  
motor, with low power  
absorption



**Revolving hose**  
To easily direct  
air flow



**Double shaver plug**  
120/230 V with  
secure lock



**Ions generator**  
For comfort  
hair dryer



**Semi built-in**



**Built-in**



**Electrical protection level**  
Class I



**Electrical protection level**  
Class II



**Sliding rail**



**Paying system**  
Single or multiple  
coin box



**Fast drying**  
Reduced drying time



**UVC system**  
Patented system  
with UVC lamp  
to reduce  
bacteria load



**Anti-Writer**



**Antimicrobial**  
Antimicrobial surface  
treatment



**Anti-thief, anti-vandal**  
Stainless steel body,  
special screws



**Adjustable  
temperature**



**Safety switch off**  
Self stopping



**Heating element**  
Low absorption heating  
element



**Reduced maintenance**  
Patented system to reduce  
maintenance costs  
(Eco Lem)



**Aluminium**



**Stainless steel**



**Carbon steel**



**ABS**



**Polycarbonate**