

TECHNIFLOW 

Official UK Partner



 **Fumagalli Componenti** S.p.A.

 **FUMAGALLI**®

Airmaster Natus Low Noise Low Heat Hand Dryer



Classical and elegant

Automatically operated by sensor, air blows for the required time by positioning the hands below the outlet. The compact and minimal shape makes it suitable for small washrooms. Conceived to reduce time of maintenance.

Focus

ERGONOMIC

Comfort and simplicity for anybody

CONVENIENT

Great quality/price ratio

PRACTICAL

Brushless engine, no maintenance needed

COMPACT



Reducing installation constraints, minimal amount of space

QUIET

Ideal for small washrooms

Technical characteristics

Activation	Sensor
Cover material	Stainless steel AISI 304/Carbon steel
Finishing	Bright/Satin/Enamelled
Electrical protection level	Class II
Ingress protection level	IP21
Supply voltage	220/240 V
Main frequency	50/60 Hz
Motor power	140 W
Heating element	1500 W
Total absorption	1640 W
Maximum absorption per drying cycle	13,6 W
Temperature regulator	-
Adjustable outlet air speed	64,5 km/h
Air flow	170 m ³ /h
Average drying time	30"
Noise level recorded at 50 cm	69 dB
Noise level recorded at 100 cm	61,5 dB
Noise level recorded at 300 cm	54,5 dB
Test certificate	Yes



Technical features



Standard range



Colour range



Collection range



TECHNIFLOW LTD

Techniflow House,
6a Uddens Trading Estate, Stapehill,
Wimborne, Dorset, BH21 7LQ
Tel: 01202 870770
Email: techniflow@btinternet.com

Legenda



Security device
Water-stop



Security device
Thermal protection
Skin care



Test report
Supplied with
each dryer



LEM patented system
Easy maintenance
motor block



Revolving nozzle
360° revolving nozzle



Turbo



JET



**Customizable ultra fast
air speed**
High performance motor,
electronic air
speed setting



HPA system
Air heating without
heating element



Long life motor
Long life resistant special
motor, with low power
absorption



Revolving hose
To easily direct
air flow



Double shaver plug
120/230 V with
secure lock



Ions generator
For comfort
hair dryer



Semi built-in



Built-in



Electrical protection level
Class I



Electrical protection level
Class II



Sliding rail



Paying system
Single or multiple
coin box



Fast drying
Reduced drying time



UVC system
Patented system
with UVC lamp
to reduce
bacteria load



Anti-Writer



Antimicrobial
Antimicrobial surface
treatment



Anti-thief, anti-vandal
Stainless steel body,
special screws



**Adjustable
temperature**



Safety switch off
Self stopping



Heating element
Low absorption heating
element



Reduced maintenance
Patented system to reduce
maintenance costs
(Eco Lem)



Aluminium



Stainless steel



Carbon steel



ABS



Polycarbonate